

CONSTRUCTION DOCUMENTS FOR:

LITTLE LEAVES BEHAVIORAL SERVICES

7150 COLUMBIA GATEWAY DRIVE, SUITE A COLUMBIA, MARYLAND 21046


PROJECT MANAGER:
COPT

6711 COLUMBIA GATEWAY
SUITE 300
COLUMBIA, MARYLAND 21046
PHONE: 443-285-5664

ARCHITECT / MEP ENGINEER:
ARIUM AE, LLC

5537 TWIN KNOLLS ROAD
SUITE 435
COLUMBIA, MARYLAND 21045
PHONE WASHINGTON: 301-621-4600
PHONE BALTIMORE: 410-730-2300
FAX: 410-730-2796

REVIEWED FOR
CODE COMPLIANCE
DEPARTMENT OF INSPECTIONS,
LICENSES AND PERMITS
HOWARD COUNTY
DATE: 4-13-2021
BY: [Signature]
 SUBJECT TO COMMENTS OF LETTER
 SUBJECT TO FIELD INSPECTION
 SUBJECT TO COMMENTS ON PLANS
 AMENDMENT FINAL



STANDARD FINISH & EQUIPMENT SCHEDULE

THE WORK OF THIS CONTRACT ENCOMPASSES THE CONSTRUCTION OF A FULLY FINISHED PROJECT. AS SUCH, UNLESS NOTED SPECIFICALLY IN THE PLANS, THE CONTRACTOR SHALL ASSUME THAT ALL AREAS WITHIN THE PROJECT EXTENTS, OR CONSTRUCTION INCLUDED IN THIS CONTRACT WILL BE EITHER BUILT IN ACCORDANCE WITH THE FOLLOWING STANDARDS OR BUILT IN ACCORDANCE WITH ONE OF THE ALTERNATE STANDARDS NOTED IN THE PLANS.

NOTE: ALL WALL FINISHES IN AREAS OF WORK SHALL MEET CLASS C FOR SPRINKLERED BUILDINGS PER IBC TABLE 803.11. SMOKE DEVELOPMENT SHALL NOT EXCEED 450.

CEILING FINISHES

A NEW CEILING SYSTEM:
BUILDING STANDARD: ARMSTRONG WHITE 15/16" EXPOSED TEE GRID WITH BUILDING STANDARD ARMSTRONG WHITE 2'x4' DUNE SQUARE LAY-IN PANEL, FINE TEXTURE, UNLESS NOTED OTHERWISE.

GYP/SUM BOARD CEILING/SULKHEADS:
HORIZONTAL SURFACE: PAINT FLAT WHITE TO MATCH ADJACENT SUSPENDED CEILING TILE. VERTICAL SURFACE TO MATCH ADJACENT WALL SURFACE. AT SKYLIGHT EX. VERTICAL SURFACES, PAINT WHITE.

CEILING HEIGHT: MAINTAIN EXISTING AT 48'-11" A.F.F., U.N.O., SEE REFLECTED CEILING PLAN

NOTE: ALL CEILING FINISHES IN AREAS OF WORK SHALL MEET CLASS C FOR SPRINKLERED BUILDINGS PER IBC TABLE 803.11. SMOKE DEVELOPMENT SHALL NOT EXCEED 450.

WINDOWS AND GLAZING

WINDOW BLINDS AT EXTERIOR WINDOWS:
EXISTING TO REMAIN. RAISE DURING CONSTRUCTION. AFTER CONSTRUCTION COMPLETE, LOWER, CLEAN AND MAKE OPERABLE. REPLACE ALL DAMAGED OR MISSING BLINDS AND/OR COMPONENTS. IF NECESSARY REPLACE WITH NEW TO MATCH EXISTING. ALL EXTERIOR WINDOWS SHALL HAVE BUILDING STANDARD BLINDS.

WINDOW SILLS:
EXISTING TO REMAIN. PATCH AS NECESSARY. PAINTED WINDOW SILLS SHALL BE PATCHED AND REPAINTED, COLOR TO MATCH ADJACENT PARTITION. CLEAN AND PROTECT DURING CONSTRUCTION.

EXISTING WINDOW FRAMES AND MULLIONS:
PATCH AND REPAIR PENETRATIONS FROM REMOVED PARTITIONS OR EQUIPMENT. REMOVE ADHESIVE AND/OR PAINT RESIDUE.

MIRROR WINDOW FILM AT VISION PANEL:
3M PRIVACY FILM ONE WAY MIRROR FILM APPLY PER MANUFACTURERS RECOMMENDATIONS. FILM SHALL BE APPLIED TO ENTIRE VISION PANEL.

DOORS AND FRAMES

SEE DOOR SCHEDULE

WOOD DOORS IN SUITE:
MASONITE ARCHITECTURAL, PAINT GRADE, SOLID CORE. INSTALL JUST PRIOR TO SUBSTANTIAL COMPLETION. DOORS MUST MEET TOLERANCE LEVELS FOR AWI WARPING ACCEPTABILITY; MAX 1/4" PER DOOR.

FRAME: HOLLOW METAL DOOR FRAME.

NOTE: ALL DOORS TO BE 4" FROM ADJACENT WALL U.N.O.

HARDWARE

PASSAGE LATCHSET:
NEW BUILDING STANDARD ADA COMPLIANT LEVER-STYLE PASSAGE LATCHSET

OFFICE LOCKSET:
NEW BUILDING STANDARD ADA COMPLIANT LEVER-STYLE OFFICE LOCKSET

CLASSROOM LOCKSET:
NEW BUILDING STANDARD ADA COMPLIANT LEVER-STYLE CLASSROOM LOCKSET.

PUSH PULL AT STOREFRONT DOORS:
SIMILAR OR EQUAL TO HANFLE LABORA SLIDING GLASS WINDOW FITTINGS, INCLUDING END CAP PUSH BUTTON LOCK, TRIPLE GUIDE TOP AND BOTTOM TRACKS, RUNNER HOUSING WITH RUBBER STRIPS (4 RUNNERS PER WINDOW, 2 TOP & 2 BOTTOM), AND END CAPS. PROVIDE SUGATSUNE PGT-06 GLASS DOOR KNOBS.

SLIDING GLASS WINDOW HARDWARE:
SIMILAR OR EQUAL TO HANFLE LABORA SLIDING GLASS WINDOW FITTINGS, INCLUDING END CAP PUSH BUTTON LOCK, TRIPLE GUIDE TOP AND BOTTOM TRACKS, RUNNER HOUSING WITH RUBBER STRIPS (4 RUNNERS PER WINDOW, 2 TOP & 2 BOTTOM), AND END CAPS. PROVIDE SUGATSUNE PGT-06 GLASS DOOR KNOBS.

COUNTER AT BREAK ROOM:
SOLID SURFACING; WILSONART, 3/4" THICK, COLOR: MILK GLASS SPECTRA 907ST.

COUNTER AT STAFF ROOM:
SOLID SURFACING; WILSONART, 3/4" THICK, COLOR: MILK GLASS SPECTRA 907ST.

COUNTERS AT RECEPT. AND OFFICE 103:
HIGH PRESSURE PLASTIC LAMINATE; MANUFACTURER AND COLOR: PM TO SELECT. COUNTERS SHALL BE SUPPORTED BY RAKKS COUNTER IN-WALL SUPPORTS, EH-FM1818 OR EQUAL.

GROMMETS:
DOUG MOCKETT & COMPANY, INC., EDP "FLIP TOP" SERIES, 2 1/2" HOLE, COLOR: PM TO SELECT.

ELECTRIC STRIKE: CARL FOLGER ADAM OR PM APPROVED EQUAL.

CARD READER: BY TENANT

LOUVER:

SIMILAR OR EQUAL TO ANEMOSTAT, AFDL SERIES, INVERTED Y, NON-VISION LOUVER; 50% FREE AREA, SIZE: 12"x12". MAINTAIN EVEN SPACING AROUND SIDES AND BOTTOM OF LOUVER. FINISH: GREY PRIMER, PAINT TO MATCH DOOR, OR PM APPROVED EQUAL.

WEATHER STRIPPING: MATCH BUILDING STANDARD

COAT HOOK: ROCKWOOD; RM801; FINISH: SATIN CHROME

FLOOR STOPS (ALL DOORS): SIMILAR OR EQUAL TO ROCKWOOD, RM850.

DOOR BELL AND BUZZER RELEASE: SEE ELECTRICAL DRAWINGS.

HARDWARE FINISH: SATIN CHROME PLATED US260 (626)

NOTE: FOR KEYING REQUIREMENTS, SEE DOOR SCHEDULE.

FINISHES

AWI QUALITY GRADE: PREMIUM

DOOR FINISH: SEE DOORS AND FRAMES

DOOR, DOOR FRAME, TRIM, AND SIDELIGHT FINISH:
PAINT, BENJAMIN MOORE, SEMI-GLOSS, COLOR: PAPER MACHE AF-25, INCLUDING EXISTING DOORS AND FRAMES.

EQUIPMENT

REFRIGERATOR WITH NO ICE MAKER:
PROVIDED BY TENANT, INSTALLED BY CONTRACTOR. SIMILAR OR EQUAL TO GE, ENERGY STAR 21.1 CU.FT. TOP-FREEZER REFRIGERATOR, MODEL # GE21GTH8.

MICROWAVE: PROVIDED BY TENANT, INSTALLED BY CONTRACTOR

WATER DISPENSER: PROVIDED BY TENANT, GC TO PROVIDE WATER LINE. PUREWATER, 3L

DISPOSAL: SEE SHEET T3, TYPICAL ACCESSORY FIXTURES

FIRE EXTINGUISHERS: UL LABELED 2A-10BC, UNLESS NOTED OTHERWISE.

F.E. CABINETS: SEMI RECESSED, 1 PER F.E. MAXIMUM PROJECTION FROM FACE OF WALL TO BE 4". SIMILAR OR EQUAL TO L. INDUSTRIES, AMBASSADOR STEEL FIRE EXTINGUISHER SEMI-RECESSED CABINET WITH POWDER-COATED FINISH, FULL CLEAR ACRYLIC GLAZING AND ADA FLUSH PULL HANDLE, COLOR: WHITE

NUMBER OF FIRE EXTINGUISHERS:
QUANTITY AND LOCATION AS SHOWN IN PLAN, SUBJECT TO FINAL REVIEW BY LOCAL GOVERNING OFFICIAL. (SEE SPEC.)

FURNISHINGS

BASE AND WALL CABINETS, STANDARD EUROPEAN FRAMELESS:
FRAMELESS, FLUSH FACED CABINET; WILSONART, COLOR MANITOBA MAPLE 7911-60 MATTE FINISH. HINGES: BLUM 120° CLIPTOP OVERLAY, SELF-CLOSE, CONCEALED, NICKEL FINISH, MODEL T175580. DRAWER SLIDES: BLUM 110LB TANDEM PLUS FULL EXTENSION, NICKEL FINISH. SHELF FINIS: 3M SPOON SHELF SUPPORT ON 30MM CENTERS, NICKEL FINISH OR PM APPROVED EQUAL.

CABINET DOOR AND DRAWER PULLS: 4" C" PULL IN BRUSHED CHROME

ADJUSTABLE SHELVES (WHERE NOTED IN PLAN):
1/2" DEEP, WHITE MELAMINE, (5) HIGH MOUNTED AT 16", 30", 37", 54", & 68" AFF ON HEAVY DUTY STANDARDS AND BRACKETS. SEE DETAIL 316. MAXIMUM STANDARD SPACING SHALL NOT EXCEED MANUFACTURER'S RECOMMENDED SPACING.

SLIDING GLASS WINDOW HARDWARE:
SIMILAR OR EQUAL TO HANFLE LABORA SLIDING GLASS WINDOW FITTINGS, INCLUDING END CAP PUSH BUTTON LOCK, TRIPLE GUIDE TOP AND BOTTOM TRACKS, RUNNER HOUSING WITH RUBBER STRIPS (4 RUNNERS PER WINDOW, 2 TOP & 2 BOTTOM), AND END CAPS. PROVIDE SUGATSUNE PGT-06 GLASS DOOR KNOBS.

COUNTER AT BREAK ROOM:
SOLID SURFACING; WILSONART, 3/4" THICK, COLOR: MILK GLASS SPECTRA 907ST.

COUNTER AT STAFF ROOM:
SOLID SURFACING; WILSONART, 3/4" THICK, COLOR: MILK GLASS SPECTRA 907ST.

COUNTERS AT RECEPT. AND OFFICE 103:
HIGH PRESSURE PLASTIC LAMINATE; MANUFACTURER AND COLOR: PM TO SELECT. COUNTERS SHALL BE SUPPORTED BY RAKKS COUNTER IN-WALL SUPPORTS, EH-FM1818 OR EQUAL.

GROMMETS:
DOUG MOCKETT & COMPANY, INC., EDP "FLIP TOP" SERIES, 2 1/2" HOLE, COLOR: PM TO SELECT.

NEW TOILET ROOM PARTITIONS:
GENERAL PARTITIONS; FLOOR MOUNTED BAKED ENAMEL TOILET PARTITION; COLOR: TO BE SELECTED.

EXISTING TOILET ROOM PARTITIONS:
EXISTING TO REMAIN. REPLACE ALL MISSING OR DAMAGED COMPONENTS. PROTECT DURING CONSTRUCTION AS NEEDED.

FLAT PANEL TV(S):
BY TENANT. G.C. TO PROVIDE ALL NECESSARY IN-WALL BLOCKING. COORDINATE FINAL LOCATION WITH TENANT.

ELECTRICAL

ELECTRICAL DEVICES:
REFER TO ELECTRICAL DRAWINGS FOR ELECTRICAL DEVICE SPECIFICATIONS. ELECTRICAL DEVICES (OUTLETS, SWITCHES, ETC.). COLOR: MATCH EXISTING SUITE STANDARD WHITE PLATES.

LIGHT FIXTURES: SEE ELECTRICAL DRAWINGS

SEE ELEC DRAWINGS.

SPRINKLERS

SPRINKLER HEADS IN SUITE: MATCH BUILDING STANDARD, SEMI-RECESSED WITH SILVER HEADS

SEE MECH DRAWINGS.

DOOR SCHEDULE

NOTES:

SEE STANDARD FINISH AND EQUIPMENT SCHEDULE AND SPECIFICATIONS FOR DOOR AND FRAME FINISHES, HARDWARE, AS WELL AS SPECIES, STAIN, AND FINISH OF WOOD VENEER DOORS.

SEE SHEET T3 FOR DOOR LEGEND.

ALL DOORS TO RECEIVE FLOOR STOPS WHERE ALLOWABLE. SEE SPECIFICATIONS.

THE CONTRACTOR SHALL PROVIDE AN ALTERNATE PRICE IN THE BID TO REPLACE ALL EXISTING NON-COMPLIANT ADA HARDWARE WITHIN THE AFFECTED SUITE WITH NEW BUILDING STANDARD LEVER STYLE HARDWARE OF THE SAME LATCHING OR LOOKING TYPE. NEW LEVERS SHALL BE OF THE TYPE SPECIFIED IN THE STANDARD FINISH AND EQUIPMENT SCHEDULE.

REMOVE EXISTING DOORS AND FRAMES FROM DEMOLITION WHEN POSSIBLE AND IF IN "LIKE NEW" CONDITION.

THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE HEIGHT OF ANY EXISTING DOORS IN THIS SPACE AND NOTIFYING THE PROJECT REPRESENTATIVE OF ANY DISCREPANCY BETWEEN THE EXISTING CONDITION AND THE SIZE, STYLE, MATERIAL AND/OR FINISH OF THE NEW DOORS NOTED ON THIS SCHEDULE.

KEY TO EXISTING BUILDING MASTER, COORDINATE FINAL KEYING REQUIREMENTS WITH PROJECT MANAGER.

ALL OFFICE DOORS TO RECEIVE A COAT HOOK ON INTERIOR SIDE OF DOOR. COORDINATE MOUNTING HEIGHT AND LOCATION WITH PROJECT MANAGER.

ALL NEW EXTERIOR DOORS WILL BE PROVIDED WITH WEATHER STRIPPING AND ADA THRESHOLDS.

LEGEND

STANDARD HARDWARE TYPES:

EX EXISTING HARDWARE TO REMAIN. IF LOCKSET, REKEY LOCK TO MATCH NEW MASTER.

EM EXISTING HARDWARE TO BE MODIFIED. MODIFY HARDWARE AS REQUIRED FOR NEW CARD READER BY TENANT AND ELECTRIC STRIKE. REPLACE EX. KNOB HARDWARE WITH STOREROOM LEVER LOCKSET. ALL OTHER ADA COMPLIANT HARDWARE TO REMAIN.

PA PASSAGE LATCHSET, BUTT HINGES.

OF OFFICE LOCKSET, BUTT HINGES.

CC CLASSROOM LOCKSET, BUTT HINGES, CLOSER.

CR CARD READER BY TENANT, ELECTRIC STRIKE, STOREROOM LOCKSET, CLOSER, NRP HINGES.

AS ALUMINUM STOREFRONT DOOR, CARD READER BY TENANT, EXIT PANIC DEVICE INSIDE WITH ELECTRIFIED LEVER ON OUTSIDE, ELECTRIFIED HINGES, CLOSER, THRESHOLD, WEATHERSTRIPPING AND SEALS. HARDWARE TO ALLOW FOR EGRESS AT ALL TIMES.

DB MODIFY EXISTING ALUMINUM STOREFRONT DOOR HARDWARE TO INCLUDE CARD READER BY TENANT, EXIT PANIC DEVICE INSIDE WITH ELECTRIFIED HINGES AND LEVER ON OUTSIDE, DOORBELL WITH BUZZER RELEASE. ALL OTHER ADA COMPLIANT HARDWARE TO REMAIN. HARDWARE TO ALLOW FOR EGRESS AT ALL TIMES.

STANDARD DOOR TYPES:

EX EXISTING DOOR

EXISTING DOOR, FRAME, AND ADA HARDWARE TO REMAIN UNLESS NOTED OTHERWISE. PREP AND PAINT EXISTING WOOD DOORS AND HOLLOW METAL FRAMES.

WS WOOD DOOR - SINGLE

ITEM: NEW 36"x1-3/4"x84", FLUSH, SOLID CORE, PAINT GRADE, WOOD DOOR TO MATCH PROJECT STANDARD.

MANUFACTURER: GENERIC (SEE NOTES ABOVE)

DOOR FRAME: HOLLOW METAL (SEE SPECIFICATIONS)

WF WOOD DOOR WITH FULL LITE GLASS

ITEM: NEW 36"x1-3/4"x84", FLUSH, PAINT GRADE, FULL LITE WOOD DOOR TO MATCH PROJECT STANDARD. PROVIDE 1/4" CLEAR SAFETY GLAZING. SEE ELEVATION A173.

MANUFACTURER: GENERIC (SEE NOTES ABOVE)

DOOR FRAME: HOLLOW METAL (SEE SPECIFICATIONS)

WV WOOD DOOR WITH LOUVER

ITEM: NEW 36"x1-3/4"x84", FLUSH, SOLID CORE, PAINT GRADE, WOOD DOOR TO MATCH PROJECT STANDARD, WITH 12"x12" LOUVER.

MANUFACTURER: GENERIC (SEE NOTES ABOVE)

DOOR FRAME: HOLLOW METAL (SEE SPECIFICATIONS)

AS ALUMINUM AND GLASS STOREFRONT SINGLE DOOR

ITEM: NEW 36"x1-3/4"x84", ALUMINUM AND GLASS STOREFRONT DOOR TO MATCH EXISTING BUILDING STANDARD, MINIMUM 10" BOTTOM RAIL. SEE ELEVATION A273.

MANUFACTURER: GENERIC (SEE NOTES ABOVE)

DOOR FRAME: ALUMINUM STOREFRONT ENTRY SYSTEM TO MATCH EXISTING BUILDING STANDARD. (SEE SPECIFICATIONS)

DRAWING INDEX

ARCHITECTURAL

- T1 TITLE SHEET
- T2 SPECIFICATIONS
- T3 DRAWINGS STANDARDS AND DETAILS
- T4 CODE ANALYSIS PLAN
- T5 FLOOR, DEMOLITION, REFLECTED CEILING PLANS AND DETAILS
- T6 FINISH PLAN, ELEVATIONS AND DETAILS

MECHANICAL

- M1 COVER SHEET - MECHANICAL
- M2 FLOOR PLANS - MECHANICAL
- M3 ROOF PLAN - MECHANICAL
- M4 DETAILS - MECHANICAL
- M5 SCHEDULES - MECHANICAL


PLUMBING

- P1 COVER SHEET - PLUMBING
- P2 DEMOLITION - FLOOR PLAN - PLUMBING
- P3 FLOOR PLANS - PLUMBING
- P4 RISER DIAGRAMS - PLUMBING
- P5 DETAILS & SCHEDULES - PLUMBING

ELECTRICAL

- E1 COVER SHEET - ELECTRICAL
- E2 DEMOLITION & LIGHTING FLOOR PLANS - ELECTRICAL
- E3 POWER FLOOR PLANS - NEW WORK - ELECTRICAL
- E4 ELECTRICAL RISER DIAGRAM & SCHEDULES

LOCATION MAP



CODE DATA

BUILDING ADDRESS: 7150 COLUMBIA GATEWAY DRIVE COLUMBIA, MARYLAND 21046

JURISDICTION: HOWARD COUNTY

APPLICABLE CODES: 2018 IBC, 2018 NFPA 101, 2018 IMC, 2018 IECC, 2018 IPC, 2018 NFGC, 2011 NEC, COUNTY AMENDMENTS, MARYLAND ACCESSIBILITY CODE

EXISTING BUILDING PROPOSED ALTERATION

USE GROUP: B/S1 B

TYPE OF CONSTRUCTION: II-B II-B

NO. OF STORIES: 1 1

HIGH RISE: NO NO

COVERED MALL: NO NO

FULLY SUPPRESSED: YES YES

APPROXIMATE AREA OF OCCUPANCY: 5,793 SQ.FT.

APPROXIMATE AREA OF SUBSTANTIVE ALTERATION: 5,793 SQ.FT.

OCCUPANT LOAD CALCULATION:

USE	AREA	# OF OCCUPANTS
MEETING RM BREAK AREAS:	288 SF/15	20 PEOPLE
WAITING AREA:	30 SF/7	5 PEOPLE
OPEN THERAPY AREA WITH EQUIPMENT:	288 SF/50	8 PEOPLE
BUSINESS/MEDICAL OFFICE:	5,207 SF/150	35 PEOPLE
TOTAL OCCUPANT LOAD:		68 PEOPLE

USE GROUP ANALYSIS:

USE GROUP: B - BUSINESS

PER IBC 2018, SECTION 304: BUSINESS OCCUPANCIES SHALL INCLUDE - TRAINING AND SKILL DEVELOPMENT NOT IN A SCHOOL OR ACADEMIC PROGRAM.

LITTLE LEAVES BEHAVIORAL SERVICES PROVIDES APPLIED BEHAVIOR ANALYSIS THERAPY TO CHILDREN DIAGNOSED WITH AUTISM. EVERY CHILD SHALL BE ACCOMPANIED BY A STAFF MEMBER AT ALL TIMES. SEE LETTER FROM TENANT ON DWG. T4.

GENERAL PROJECT SCOPE DESCRIPTION:
INTERIOR ALTERATION OF EXISTING SUITE FOR NEW TENANT. TENANT FIT-OUT TO INCLUDE DEMOLITION OF EXISTING PARTITIONS, AND CONSTRUCTION OF NEW PARTITIONS, DOORS, AND MILLWORK. NEW ELECTRICAL WORK TO MODIFY LIGHTING AND POWER TO REFLECT NEW PLAN. ALL ELECTRICAL RUNS ARE TO CONNECT TO EXISTING BUILDING MAIN ELECTRICAL ROOM. EXISTING DUCTWORK WILL BE MODIFIED TO REFLECT NEW PLAN.

THERE IS NO STRUCTURAL WORK IN THIS PROJECT.

Digitally signed by Stephanie B Nunn
Date: 2021.03.03 19:06:46 -05'00'

STATE OF MARYLAND ARCHITECT
STEPHANIE B NUNN
14795
ARCHITECT

STATE OF MARYLAND ARCHITECT
STEPHANIE B NUNN
14795
ARCHITECT

Digitally signed by Stephanie B Nunn
Date: 2021.03.03 19:06:46 -05'00'

STATE OF MARYLAND ARCHITECT
STEPHANIE B NUNN
14795
ARCHITECT

RECEIVED
APR 09 2021
LICENSES & PERMITS DIVISION

REVIEWED FOR CODE COMPLIANCE
Department of Inspections, Licenses and Permits
Howard County
Date: 03/16/21
By: Adolphe Hurlaux

PROJECT MANAGER: COPT, CORPORATE OFFICE PROPERTIES TRUST
CONTRACTOR: ARIUM AE, LLC
ARCHITECT/MEP ENGINEER: ARIUM AE, LLC
TITLE SHEET
PROJECT FILE NAME: C081185 - Z11
LATEST REVISION: 03 MAR 2021
ISSUE DATE: 03 MAR 2021
DATE: 03/16/21
BY: LMD
SLA: LMD
SBN: SBN
ARIUM AE, LLC
7150 COLUMBIA GATEWAY DRIVE
COLUMBIA, MD 21046
PHONE: 443-285-5664
WWW.ARIUMAE.COM