



- LIFE SAFETY PLAN LEGEND**
- ← INDICATES EXIT ACCESS
 - ⇌ INDICATES COURTYARD ACCESS
 - FE C FIRE EXTINGUISHER CABINET
 - ▨ INDICATES 1 HR. RATED ROOM
2 LAYERS 5/8" TYPE X GNB ON CEILING - 45 MIN. DOOR
SINGLE LAYER OF 5/8" TYPE X GNB ON EACH SIDE OF METAL STUD WALL
(OFFSET STUD 1/8" TO ALIGN FINISH FACE OF GNB WITH ADJACENT GNB AS NEEDED)
 - ▩ INDICATES 2 HR. RATED ROOM
 - ⊕ DENOTES 45 MIN. TYPROSTOP™ RATED GLAZING
 - DENOTES 2 HOUR FIRE WALL UL DESIGN R406
 - DENOTES 1 HOUR RATED PARTITION UL DESIGN R425
 - DENOTES COMBINATION 1 HOUR RATED PARTITION UL DESIGN R425 AND SMOKE BARRIER
- LIFE SAFETY PLAN DRAWING NOTES:**
1. PROVIDE SEALED SMOKE TIGHT JOINTS WHERE EVERY SMOKE BARRIER WALL MEETS GNB APPLIED TO THE UNDERSIDE OF THE JOISTS OR TRUSSES.
 2. CORRIDOR WALLS OF RESIDENT ROOMS TO BE 1/2 HOUR RATED, TYPICAL.
 3. FIRE STOPPING SEAL ANY AND ALL PENETRATIONS WITH FIRE STOPPING MATERIAL.
 4. SEE DETAILS 6 / A5.2 AND 10 / A5.2 FOR FIRE PROOFING OF STEEL BEAMS.
 5. FIRE EXTINGUISHER LOCATIONS ARE SUBJECT TO FINAL APPROVAL BY FIRE MARSHAL IN FIELD.

DRAWING NOTES:

- ▨ EXISTING - NO WORK
- ▩ EXISTING - RENOVATION

SCALE: 3/32" = 1'-0"

DATE: April 4, 2019

SCALE: 3/32" = 1'-0"

DRAWN:

JOB:

SHEET:

REVISIONS	BY

1264M PERMIT JLS

REVIEW COMMENTS

STATE OF MARYLAND
2002-E
2002-E
2020-A
Professional Certification
I certify that these documents were prepared or approved by me, and that I am duly licensed architect under the laws of the State of Maryland, license number 2002 A, expiration date February 25, 2020.

Lorien Nursing - Elkridge Addition
7615 Washington Blvd
Elkridge, Maryland 21075