

DOOR SCHEDULE

NUMBER	ROOM NAME	DOOR			FRAME					SECURITY	REMARKS	* - ALL RATED DOORS TO HAVE CLOSERS AND TO BE SELF-LATCHING
		TYPE	MATL	WIDTH	HEIGHT	THICK	FIN	UL	MATL			
608	EX DRY STORAGE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
612C	CLOSET	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
614	MDS / DIET / OFFICE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
620	EVS OFFICE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
622	EXPANDED BEAUTY SHOPPE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
623	ELEC / TELE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER, PANIC HARDWARE
623A	ELEC / TELE	F	HM	3'-0"	7'-0"	1 3/4"	P		HM	P	6J	KI, VI, DC
625	MECH	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 45 MIN	HM	P	4	CLOSER
626	OFFICE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
626A	OFFICE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
627	CENTRAL SUPPLY	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
627A	CENTRAL SUPPLY	F	HM	(2) 3'-0"	7'-0"	1 3/4"	P		HM	P	1	2 DC
628	CENTRAL SUPPLY	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
628A	CENTRAL SUPPLY	F	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
629	JANITOR	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
630	HOUSEKEEPING / SUPPLIES	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4J	KI, KO, DC
630A	HOUSEKEEPING / SUPPLIES	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC		ALUM	FAC	6	EXTERIOR DOOR, CLOSER, 3'-4" SIDELIGHT ALL 1" INSULATED GLASS
631	MAINTENANCE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
631A	MAINTENANCE	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC		ALUM	FAC	6	EXTERIOR DOOR, CLOSER, 3'-4" SIDELIGHT ALL 1" INSULATED GLASS
632	MECH	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 45 MIN	HM	P	4	CLOSER
633	STAIR #5	NL	WD	3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	3J	KI, DC, DEML
633A	STAIR #5	F	HM	3'-0"	7'-0"	1 3/4"	P		HM	P	2	DC, C
635	NEW DRY STORAGE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
635A	NEW DRY STORAGE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
636	DINING ROOM	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER, 36" SIDELIGHT
636A	DINING ROOM	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER, 36" SIDELIGHT
636B	DINING ROOM	EXISTING									19	KI, KO, VI, 2 DC, 2 DEML, C
639	NEW SERVING PANTRY	EXISTING									20	
639A	NEW SERVING PANTRY	B	WD	3'-0"	7'-0"	1 3/4"	STAIN				21	SLIDING BARN DOOR
639B	NEW SERVING PANTRY	B	WD	3'-0"	7'-0"	1 3/4"	STAIN				21	SLIDING BARN DOOR
640	PUBLIC TOILET	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	7	CLOSER
641	PUBLIC TOILET	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	7	CLOSER
642	GAME ROOM	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
643	NEW CONFERENCE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
643A	NEW CONFERENCE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
644	NEW THEATER	NL	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
645	A / V STORAGE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
646	STORAGE	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
647	EX SOUTH STAIR											RELOCATE EXISTING DOOR, CHANGE DOOR SWING
648	LOUNGE	NO DOOR										
649	ELEVATOR LOBBY	NL	WD	(2) 3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	9	SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SLIDE OPPOSITE DIRECTIONS
649A	ELEVATOR LOBBY	F6	ALUM	(2) 3'-0"	7'-0"	1 3/4"	FAC	45 MIN PYROSTOP	ALUM	FAC	22	KI, VI, 2 DC, 3 DEML, C
650	CHAPEL	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
651	ACTIVITY OFFICE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
652	HUMAN RESOURCES	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
653	STORAGE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
654	MEDICAL RECORDS	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
655	RESIDENT LAUNDRY	6P6	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	8	CLOSER
655A	RESIDENT LAUNDRY	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
656	PET ROOM	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
656A	PET ROOM	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC		ALUM	FAC	18	DC
657	JANITOR	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
658	PUBLIC TOILET	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	7	CLOSER
659	MECH	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
660	LOUNGE	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC		ALUM	FAC	18	KI, VI, DC, DEML
661	ELEC / TELE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
667	STAIR #4	NL	WD	3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	3	KI, DC, DEML
667A	STAIR #4	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC		ALUM	FAC	18	DC
668	NURSING CORRIDOR	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC		ALUM	FAC	18	KI, KO, DC, DEML
668A	NURSING CORRIDOR	NL	WD	(2) 3'-0"	6'-8"	1 3/4"	P		HM	P	9	SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SWING OPPOSITE DIRECTIONS
668B	NURSING CORRIDOR	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC	45 MIN PYROSTOP	ALUM	FAC	23	KI, KO, DC, DEML
670	MECH	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
FIRST LEVEL												
152	OFFICE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER, 18" SIDELIGHT
155	ELEVATOR LOBBY	NL	WD	(2) 3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	9	SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SWING OPPOSITE DIRECTIONS
146	DINING	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	3	CLOSER, 20" SIDELIGHT
148	TOILET	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	7	CLOSER
149	MR. OFFICE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
150	PHYSICAL THERAPY	F6	WD	(2) 3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	10	CLOSER
150A	PHYSICAL THERAPY	6P	WD	(2) 3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	11	CLOSER
158	NEW OFFICE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
159	NEW OFFICE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
165	NEW MEDICINE	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
166	NEW NURSES STATION	NO DOOR										
167	NEW CLEAN UTILITY	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
168	JANITOR	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
169	NEW OFFICE MEETING	F6	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5	CLOSER
170	NEW SOILED UTILITY	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER
172	MECH	F	WD	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4	CLOSER

DOOR SCHEDULE

NUMBER	ROOM NAME	DOOR			FRAME					SECURITY	REMARKS	* - ALL RATED DOORS TO HAVE CLOSERS AND TO BE SELF-LATCHING
		TYPE	MATL	WIDTH	HEIGHT	THICK	FIN	UL	MATL			
FIRST LEVEL - cont'd												
175	STAIR #5	NL	WD	3'-0"	6'-8"	1 3/4"	STAIN	B - 60 MIN	HM	P	3J	KI, DC, DEML
174	ADMIN OFFICE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
176	MAILROOM	NO DOOR										
177	RECEPTION	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
178	COMPUTER LAB	F6	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
178	VESTIBULE	F6	ALUM	10'-0"	8'-0"	1 3/4"	FAC		ALUM	FAC	18	EXTERIOR DOOR, BI-PARTING, BREAK AWAY, 1" INSULATED GLASS
179	LOBBY	F6	ALUM	10'-0"	8'-0"	1 3/4"	FAC		ALUM	FAC	18	EXTERIOR DOOR, BI-PARTING, BREAK AWAY
181	JANITOR	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
182	PUBLIC TOILET	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	7	CLOSER
183	MECH	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
184	OFFICE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
185	ELEC / TELE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
186	STAIR #4	NL	WD	3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	3J	KI, DC, DEML
187	LOUNGE	NO DOOR										
188	ALL CORRIDOR	NO DOOR										
189	NURSING CORRIDOR	NL	WD	(2) 3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	9	SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SWING OPPOSITE DIRECTIONS
SECOND LEVEL												
270	STORAGE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
271	ELEVATOR LOBBY	NL	WD	(2) 3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	9	SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SWING OPPOSITE DIRECTIONS
272	JANITOR	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
273	PUBLIC TOILET	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	7	CLOSER
274	MECH	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
275	OFFICE	6P6	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	5	CLOSER
276	ELEC / TELE	6P	WD	3'-0"	6'-8"	1 3/4"	P		HM	P	4	CLOSER
277	LOUNGE	NO DOOR										
278	STAIR #4	NL	WD	3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	3J	KI, DC, DEML
279	CLOSET	6P	WD	3'-0"	6'-8"	1 3/4"						