

DOOR SCHEDULE

NUMBER	ROOM NAME	DOOR	TYPE	MATL	WIDTH	HEIGHT	THICK	FIN	UL	MATL	FIN	HDM	SECURITY	REMARKS	
GROUND LEVEL															
508	EX DRY STORAGE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
612	CLOSET	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
614	MDS / DIET / OFFICE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
620	EVS OFFICE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
622	EXPANDED BEAUTY SHOPPE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
625	ELEG / TELE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER, PANIC HARDWARE	
625A	ELEG / TELE	F	HM	3'-0"	7'-0"	1 3/4"	P					61	KI, VI, DC	EXTERIOR DOOR, CLOSER	
625B	MEGH	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 45 MIN	HM	P	4			CLOSER	
626	OFFICE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
626A	OFFICE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
627	CENTRAL SUPPLY	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
627A	CENTRAL SUPPLY	F	HM	(2) 3'-0"	7'-0"	1 3/4"	P						2 DC	EXTERIOR DOOR, CLOSER	
628	CENTRAL SUPPLY	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
628A	CENTRAL SUPPLY	F	ND	3'-0"	6'-8"	1 3/4"	P							CLOSER	
629	JANITOR	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
630	HOUSEKEEPING / SUPPLIES	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4		41	KI, KO, DC, MAX	CLOSER
630A	HOUSEKEEPING / SUPPLIES	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC							EXTERIOR DOOR, CLOSER, 3'-4" SIDELIGHT ALL 1" INSULATED GLASS	
631	MAINTENANCE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
631A	MAINTENANCE	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC							EXTERIOR DOOR, CLOSER, 3'-4" SIDELIGHT ALL 1" INSULATED GLASS	
632	MEGH	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 45 MIN	HM	P	4			CLOSER	
633	STAIR #3	NL	ND	3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	31			KI, DC, ML, MAX	
633A	STAIR #3	F	HM	3'-0"	7'-0"	1 3/4"	P							EXTERIOR DOOR, CLOSER, PANIC HARDWARE	
635	NEW DRY STORAGE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
635A	NEW DRY STORAGE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
636	DINING ROOM	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER, 36" SIDELIGHT	
636A	DINING ROOM	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER, 36" SIDELIGHT	
636B	DINING ROOM	EXISTING												RELOCATE EXISTING DOOR, CHANGE DOOR SWING	
639	NEW SERVING PANTRY	EXISTING												20	
639A	NEW SERVING PANTRY	B	ND	3'-0"	7'-0"	1 3/4"	STAIN							21	
639B	NEW SERVING PANTRY	B	ND	3'-0"	7'-0"	1 3/4"	STAIN							21	
640	PUBLIC TOILET	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	7			CLOSER	
641	PUBLIC TOILET	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	7			CLOSER	
642	GAME ROOM	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
643	NEW CONFERENCE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
643A	NEW CONFERENCE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
644	NEW THEATER	NL	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	ND	P	5			CLOSER	
645	A / V STORAGE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	ND	P	4			CLOSER	
646	STORAGE	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	ND	P	4			CLOSER	
647	EX SOUTH STAIR													RELOCATE EXISTING DOOR, CHANGE DOOR SWING	
648	LOUNGE	NO DOOR													
649	ELEVATOR LOBBY	NL	ND	(2) 3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	9			SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SLIDE OPPOSITE DIRECTIONS	
649A	ELEVATOR LOBBY	F6	ALUM	(2) 3'-0"	7'-0"	1 3/4"	FAC						22	KI, VI, DC, ML, MAX	
650	CHapel	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
651	ACTIVITY OFFICE	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	5			CLOSER	
652	HUMAN RESOURCES	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	5			CLOSER	
653	STORAGE	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER	
654	MEDICAL RECORDS	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER	
655	RESIDENT LAUNDRY	6P6	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	5			CLOSER	
655A	RESIDENT LAUNDRY	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER	
656	PET ROOM	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	5			CLOSER	
656A	PET ROOM	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC							EXTERIOR DOOR, CLOSER, PANIC HARDWARE, 40" SIDELIGHT ALL 1" INSULATED GLASS	
657	JANITOR	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER	
658	PUBLIC TOILET	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	7			CLOSER	
659	MEGH	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 45 MIN	HM	P	4			CLOSER	
660	LOUNGE	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC							EXTERIOR DOOR, CLOSER, PANIC HARDWARE, 22" SIDELIGHT ALL 1" INSULATED GLASS	
661	ELEG / TELE	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER	
667	STAIR #4	NL	ND	3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	5			KI, DC, ML, MAX	
667A	STAIR #4	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC							EXTERIOR DOOR, CLOSER, PANIC HARDWARE	
664	NURSING CORRIDOR	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC							EXTERIOR DOOR, CLOSER, PANIC HARDWARE, 40" SIDELIGHT ALL 1" INSULATED GLASS	
664A	NURSING CORRIDOR	NL	ND	(2) 3'-0"	6'-8"	1 3/4"	P	B - 40 MIN	HM	P	9			SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SWING OPPOSITE DIRECTIONS	
664B	NURSING CORRIDOR	F6	ALUM	3'-0"	7'-0"	1 3/4"	FAC							EXTERIOR DOOR, CLOSER, PANIC HARDWARE, 40" SIDELIGHT ALL 1" INSULATED GLASS	
670	MEGH	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 45 MIN	HM	P	4			CLOSER	
FIRST LEVEL															
152	OFFICE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER, 18" SIDELIGHT	
155	ELEVATOR LOBBY	NL	ND	(2) 3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	9			SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SWING OPPOSITE DIRECTIONS	
146	DINING	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER, 20" SIDELIGHT	
148	TOILET	6P	ND	3'-0"	6'-8"	1 3/4"	P							CLOSER	
148	MSR OFFICE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
150	PHYSICAL THERAPY	F6	ND	(2) 3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	10			CLOSER	
150A	PHYSICAL THERAPY	6P	ND	(2) 3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	11			CLOSER	
158	NEW OFFICE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
159	NEW OFFICE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
165	NEW MEDICINE	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
166	NEW NURSES STATION	NO DOOR													
167	NEW CLEAN UTILITY	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
168	JANITOR	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
164	NEW OFFICE MEETING	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER	
170	NEW SOILED UTILITY	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	
172	MEGH	F	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	4			CLOSER	

DOOR SCHEDULE

NUMBER	ROOM NAME	DOOR	TYPE	MATL	WIDTH	HEIGHT	THICK	FIN	UL	MATL	FIN	HDM	SECURITY	REMARKS
FIRST LEVEL - CONT'D														
173	STAIR #5	NL	ND	3'-0"	6'-8"	1 3/4"	STAIN	B - 60 MIN	HM	P	6			61
174	ADMIN OFFICE	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	5			KI, DC, ML, MAX
175	HALLROOM	NO DOOR												
176	RECEPTION	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	5			CLOSER
177	COMPUTER LAB	F6	ND	3'-0"	6'-8"	1 3/4"	STAIN	C - 20 MIN	HM	P	5			CLOSER
178	VESTIBULE	F6	ALUM	10'-0"	8'-0"	1 3/4"	FAC							EXTERIOR DOOR, BI-PARTING, BREAK AWAY, 1" INSULATED GLASS
179	LOBBY	F6	ALUM	10'-0"	8'-0"	1 3/4"	FAC							EXTERIOR DOOR, BI-PARTING, BREAK AWAY
181	JANITOR	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER
182	PUBLIC TOILET	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	7			CLOSER
183	MEGH	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER
184	OFFICE	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	5			CLOSER
185	ELEG / TELE	6P	ND	3'-0"	6'-8"	1 3/4"	P	C - 20 MIN	HM	P	4			CLOSER
186	STAIR #4	NL	ND	3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	6			61
187	LOUNGE	NO DOOR												
188	ALL CORRIDOR	NO DOOR												
189	NURSING CORRIDOR	NL	ND	(2) 3'-0"	6'-8"	1 3/4"	STAIN	B - 40 MIN	HM	P	9			SELF-CLOSING W/ MAGNETIC HOLD-OPEN DOORS SWING OPPOSITE DIRECTIONS
SECOND LEVEL														
210	STORAGE	6P	ND	3'-0"	6'-8"	1 3/4"	P	C -						