



FINISH SCHEDULE CONT.

| ITEM # | IMAGE | TYPE | LOCATION | DESCRIPTION | MANUFACTURER & REP CONTACT INFO | OSCI | CSCI |
|---|-------|-------------------------------|--------------------------|---|---|------|------|
| SF-200 | | INTERLAM | DINING | DESCRIPTION: IDF CORE SCREEN W/ FIREFREE AST... COATING 18076069 PATTERN: PVT FINISH: PRIMER + CUSTOM COLOR TO MATCH PAINT PT-300 NOTE: SEE ARCHITECTURAL PLANS FOR DIMENSIONS. CONTRACTOR TO PROVIDE SAMPLE TO DESIGNER FOR APPROVAL. | INTERLAM 336.786.6254 | | X |
| SF-300 | | UPHOLSTERED WALLS | PDR | PRODUCT: WHISPER WALL SQUARE EDGE SYSTEM FABRIC: MAHARAM- SHARKSKIN 2 #90 CORE: 2" KNAUF INSULATION DIMENSIONS: REFER TO ARCHITECTURAL DRAWINGS FOR PANEL SIZE & FINISHES STRETCHING SYSTEM: POLYMER EXTRUSION FIRE PERFORMANCE: FABRIC: UPHOLSTERED WALLS: ASTM E 84 UNADHERED FRAME 15, SMOKE 55. PANEL SYSTEM: ASTM-E84 & ASTM-E2573 CLASS A | WHISPER WALL | | X |
| WC-100 | | MOTHER OF PEARL WALL COVERING | BACK BAR | PRODUCT: GOLDEN PEARL ITEM#: MR-MP-02 TILE SIZE: 24" X 12" REPEAT: N/A NOTES: MIN. ORDER 20 TILES. ORDER INCREMENTS: 10 TILES FIRE PERFORMANCE: ASTM E84 CLASS A | MAYA | | X |
| ACOUSTIC CEILING TILE | | | | | | | |
| ACT-100 | | ACOUSTICAL CEILING TILE | KITCHEN & MEZZANINE | DESCRIPTION: #870 CLEAN ROOM VL - FINE TEXTURE, UNPERFORATED COLOR: (WH) WHITE DIMENSION: 24"W X 48"L X 5/8" EDGE: SQUARE LAY-IN; SUSPENSION SYSTEM: 15/16" PRELUDE XL FIRE GUARD EXPOSED TEE GRID DURABILITY: WASHABLE, SCRUBBABLE; SOIL RESISTANT; HUMIDITY RESISTANT CLASSIFICATION: TYPE IV FORM 2, PATTERN F FIRE PERFORMANCE: ASTM E84 CLASS A. FIRE RESISTIVE CEILING WHEN USED IN APPLICABLE UL ASSEMBLIES. | ARMSTRONG | | X |
| ACT-200 | | ACOUSTICAL CEILING PANEL | DINING | DESCRIPTION: DIRECT-ATTACHED STANDARD CEILING PANELS DIMENSIONS: 1" THICK FINISH: WHITE W/ PT-400 (MAXIMUM 6 COATS); NOTE: CONTRACTOR TO PROVIDE SAMPLE TO ARCHITECT FOR APPROVAL. FIRE PERFORMANCE: ASTM E84 CLASS A | TECTUM VIA MIDATLANTIC SALES GROUP KENT DAMSCHRODER 410.224.5665 kent@midatlantic-group.com | | X |
| FIBER REINFORCED PANEL | | | | | | | |
| FRP-100 | | FRP PANEL | BAR, KITCHEN & MEZZANINE | DESCRIPTION: CLASS A FIBER REINFORCED PLASTIC PANEL PATTERN: PEBBLED COLOR: WHITE DIMENSIONS: REFER TO THE ARCHITECTURAL DRAWINGS NOTES: GC MUST HAVE CUTTING FOR APPROVAL SUBMITTED TO ARCHITECT PRIOR TO PURCHASING. DO NOT USE IN AREAS VISIBLE TO FOH FIRE PERFORMANCE: ASTM E84 CLASS A | MARLITE TODD HILLPOT 330.260.7628 | | X |
| KEY: CSCI: CONTRACTOR SUPPLIED, CONTRACTOR INSTALLED. OSCI: OWNER SUPPLIED, CONTRACTOR INSTALLED. TBD: TO BE DETERMINED. FOH: FRONT OF HOUSE BOH: BACK OF HOUSE NOTES: 1. ALL QUANTITIES TO BE VERIFIED BY CONTRACTOR. 2. ALL FINISHES TO BE HAVE A MINIMUM CLASS B FIRE RATING | | | | | | | |

REVIEWED FOR COMPLIANCE
10/29/18

Performance of this review does not relieve the applicant from full responsibility to comply with all applicable codes, ordinances and regulations

Sen Doonan

| ARCHITECT HapstakDemetriou + ARCHITECTURE DESIGN 2715 M STREET NW, 4th Floor WASHINGTON, DC 20007 202.333.9038 www.hd-ad.com info@hd-ad.com | CLIENT Alexanader Smith (410) 241-1224 afsmith11@gmail.com STRUCTURAL ENGINEER BEI Structural Engineers 3930 Pender Dr. Suite175 Fairfax, VA 22030 | MEP ENGINEER J.B. Wyble and Associates, P.A. 7950 Norfolk Ave. , Bethesda, MD 301-654-1410 FOOD SERVICE CONSULTANT JLA Corp 13031 US Highway 19N, Clearwater, FL 33764 727-470-7862 | OUZO BAY HOUSTON 4444 WESTHEIMER RD, HOUSTON, TX 77027 , SUITE 130 PROJECT NO. 17054 | <table border="1"> <thead> <tr> <th>REV</th> <th>DATE</th> <th>ISSUED FOR</th> <th>REV</th> <th>DATE</th> <th>ISSUED FOR</th> </tr> </thead> <tbody> <tr> <td></td> <td>5/16/18</td> <td>PROGRESS SET</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>6/20/18</td> <td>PERMIT SET</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1</td> <td>8/30/18</td> <td>PERMIT COMMENT</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | REV | DATE | ISSUED FOR | REV | DATE | ISSUED FOR | | 5/16/18 | PROGRESS SET | | | | | 6/20/18 | PERMIT SET | | | | 1 | 8/30/18 | PERMIT COMMENT | | | | FINISH SCHEDULE CONTINUED A0016 PRINTED: 9/17/18 © HapstakDemetriou+, pllc 2018 |
|--|---|--|--|---|------------|------|------------|-----|------|------------|--|---------|--------------|--|--|--|--|---------|------------|--|--|--|---|---------|----------------|--|--|--|--|
| REV | DATE | ISSUED FOR | REV | DATE | ISSUED FOR | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5/16/18 | PROGRESS SET | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6/20/18 | PERMIT SET | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 8/30/18 | PERMIT COMMENT | | | | | | | | | | | | | | | | | | | | | | | | | | | |

I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED ARCHITECT UNDER THE LAWS OF TEXAS LICENSE NO. 26750 EXPIRATION DATE: 7/31/2019