



DIVISION 8 — DOORS AND WINDOWS CONT.

E. Finishes
1. Shop Priming
a. Doors and frames shall be chemically treated to ensure maximum paint adhesion and coated, on exposed surfaces, with a rust-inhibitive primer suitable as a base for finish paints.

SECTION 08210 WOOD DOORS

1.1 General
A. Submittals
1. Shop Drawings:
a. Submit shop drawings and schedules indicating location and size of each door.

DIVISION 8 — DOORS AND WINDOWS CONT.

H. Adjusting
1. Adjust and check each door to ensure proper operation and function.

SECTION 08411 ALUMINUM-FRAMED ENTRANCES AND STOREFRONTS

1.1 General
A. Performance Requirements
1. Delegated Design: Design aluminum-framed systems, including comprehensive engineering analysis by a qualified professional engineer, using performance requirements and design criteria indicated.

DIVISION 8 — DOORS AND WINDOWS CONT.

4. Install Exterior doors and Sound Rated Interior doors to produce weathertight enclosure and tight fit at weatherstripping and soundproof gasketing and install components to drain water passing joint.

SECTION 08450 ALL-GLASS ENTRANCES

1.1 GENERAL
A. Submittals
1. Submit manufacturer's literature describing products to be provided.

SECTION 08700 HARDWARE

1.1 General
A. Submittals
1. Submit manufacturer's literature describing products to be provided.

DIVISION 8 — DOORS AND WINDOWS CONT.

8. Door Closures: unless otherwise required by authorities having jurisdiction, adjust average period of an open position of 70 degrees, the door will take at least 3 seconds to move to a point 3 inches from the latch, measured to the leading edge of the door.

DIVISION 9 — FINISHES

SECTION 09000 GENERAL FINISH NOTES

1.1 General
A. Submittals
1. The Contractor shall submit a minimum of three (3) 8"x10" square samples of each scheduled finish for review by the Architect.

SECTION 09250 GYPSUM BOARD

1.1 General
A. Submittals
1. Product Data: Submit manufacturer's specifications and installation instructions with project materials clearly identified or detailed for each required system.

REVIEWED FOR COMPLIANCE
Performance of this review does not relieve the contractor from full responsibility to comply with all applicable codes, ordinances and regulations

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

1807 0000

ARCHITECT
HapstakDemetriou +
ARCHITECTURE | DESIGN
2715 M STREET NW, 4th Floor
WASHINGTON, DC 20007
202.333.9038
www.hd-ad.com info@hd-ad.com

CLIENT
Alexander Smith
(410) 241-1224
afsmith11@gmail.com
STRUCTURAL ENGINEER
BEI Structural Engineers
3930 Pender Dr. Suite 175
Fairfax, VA 22030

MEP ENGINEER
J.B. Wyble and Associates, P.A.
7950 Norfolk Ave., Bethesda, MD
301-654-1410
FOOD SERVICE CONSULTANT
JLA Corp
13031 US Highway 19N, Clearwater, FL 33764
727-470-7862

OUZO BAY HOUSTON
4444 WESTHEIMER RD, HOUSTON, TX 77027, SUITE 130
PROJECT NO. 17054
I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED ARCHITECT UNDER THE LAWS OF TEXAS LICENSE NO. 26750 EXPIRATION DATE: 8/31/2018

Table with columns: REV, DATE, ISSUED FOR, GENERAL SPECIFICATION. Includes rows for 5/16/18 PROGRESS SET and 6/20/18 PERMIT SET. General Specification A006.