



18076069

REVIEWED FOR COMPLIANCE

Performance of this review does not relieve the applicant from full responsibility to comply with all applicable codes, ordinances and regulations 10/29/18

JOHNSON-LANCASTER AND ASSOCIATES, INC. FOOD SERVICE EQUIPMENT SPECIALIST

18031 US Highway 19 N Clearwater, FL 33764 (727) 766-5622

UTILITY SCHEDULE

Table with columns: ITEM NO, QTY, EQUIPMENT CATEGORY, MANUFACTURER, MODEL NUMBER, PLUG, DIRECT, VOLTS, PHASE, AMPS, KW, HP, NEMA, HOT WATER SIZE (IN), HOT WATER GPH, COLD WATER SIZE (IN), DIRECT DRAIN SIZE (IN), INDIR DRAIN SIZE (IN), GAS SIZE (IN), MBTUH, EQUIPMENT REMARKS.

HEALTH

- NOTE: 1. ALL CONNECTIONS SHOWN IN THE SCHEDULE ARE SIZED AS THEY ACTUALLY OCCUR ON THE EQUIPMENT. 2. CONNECTIONS SHOWN ARE FOR ONE UNIT. TO DETERMINE TOTAL REQUIREMENTS, MULTIPLY BY NUMBER IN QUANTITY COLUMN. 3. ELECTRIC CONTRACTOR AND PLUMBING CONTRACTOR TO VERIFY UTILITIES ON EXISTING EQUIPMENT AND EQUIPMENT NOT IN FOODSERVICE CONTRACT. 4. WHERE INDICATED TO CONNECT IN OR THROUGH A VALVE COMPARTMENT, CONTRACTOR SHALL STUB-UP INTO VALVE COMPARTMENT AT HEIGHT INDICATED ON ROUGH-IN PLAN, CAP HIS WORK AND MAKE FINAL CONNECTIONS AFTER EQUIPMENT IS IN PLACE. 5. THE INTENT OF THE DRAWINGS AND SPECIFICATIONS REGARDING ELECTRICAL PRE-WIRING AND PLUMBING PRE-PIPING IS TO HAVE THE K.E.C. EXTEND TO AND TERMINATE ALL CONNECTIONS FOR THE EQUIPMENT IN THE LOCATIONS INDICATED IN THE EQUIPMENT SCHEDULE AND SPOT PLANS. 6. ELECTRICAL, PLUMBING AND MECHANICAL CONTRACTORS TO PROVIDE ALL ROUGH-IN BUILDING SERVICES AND FINAL CONNECTION TO ALL FOOD SERVICE EQUIPMENT.

Table with columns: REVISIONS, NUMBER, DATE, DESCRIPTION, PER HEALTH DEPARTMENT COMMENTS.

OUZO RESTAURANT & LOCH BAR HOUSTON, TEXAS

Table with columns: PROJECT TITLE, DATE, SCALE, DRAWN BY, DESIGNED BY, PAPER SIZE, EQUIPMENT SCHEDULE, SHEET.