


**GENERAL NOTES:**

- COORDINATE WITH ARCHITECTURAL DRAWINGS FOR 4" STORM WATER PENETRATIONS OF FLOOR SLAB PRIOR TO INSTALLATION.
- ALL NEW SANITARY WASTE AND STORM WATER PIPING BELOW GRADE SHALL BE CAST IRON UNLESS NOTED OTHERWISE.



**RUBELING & ASSOCIATES, INC.**  
ARCHITECTURE  
INTERIOR DESIGN  
410 JEFFERSON AVENUE  
TOWSON, MARYLAND 21286-5309  
410-337-2886  
FAX: 410-337-2974

MECHANICAL ELECTRICAL ENGINEER  
**CENTURY ENGINEERING**  
35 WEST ROAD  
TOWSON, MARYLAND 21284  
(410) 853-6272

**PERFORMING ARTS ADDITION  
NOTRE DAME PREPARATORY SCHOOL  
TOWSON, MARYLAND**

**REFERENCE NOTES:**

- REMOVE EXISTING PLUMBING FIXTURES (WATER CLOSET, LAVATORY & SHOWER) IN EXISTING TOILET ROOM AREA. CAP EXISTING COLD & HOT WATER PIPING AT EXISTING MAIN OR TO POINT INDICATED. CAP EXIST SANITARY BELOW FLOOR.
- REMOVE EXISTING 4" ST. DRAIN & 1 1/2" WASTE FROM EXISTING UTILITY SINK. CAP EXIST 4" PIPE BELOW FLOOR.
- REMOVE EXISTING 4" AREAWAY DRAIN & 4" PIPE BELOW GRADE.
- REMOVE EXISTING 4" CLEANOUT, 4" AREAWAY & 4" PIPE BELOW GRADE.
- REMOVE PORTION OF EXISTING 4" FOUNDATION DRAIN & INSTALL & CONNECT NEW 4" THROUGH DRAIN AS INDICATED ON PLAN.
- REMOVE EXISTING FUEL OIL PIPING & APPURTENANCES BACK TO FLOOR & CAP FLUSH WITH FLOOR LINE PIPE. SHALL BE DRAINED & CLEANED OR FLUSHED TO ELIMINATE ANY HAZARDOUS MATERIAL PRIOR TO CAPPING. EXISTING PIPING TO BE ABANDONED IN PLACE SHALL BE LEFT IN A MANNER CONFORMING TO COMAR & LOCAL CODE REQUIREMENTS.
- REMOVE EXISTING 4" FLOOR DRAIN & CAP EXISTING 4" PIPE BELOW FLOOR.
- REMOVE EXISTING EXTERIOR 6" SAN TO POINT SHOWN & REPLACE WITH NEW 6" CAST IRON SANITARY AS INDICATED ON PLAN. SLOPE NEW SANITARY BELOW GRADE AT SAME PITCH AS EXIST BEING REMOVED.
- REMOVE EXISTING EXTERIOR 12" STORM WATER PIPE FROM POINT INDICATED ON PLAN TO EXISTING MANHOLE. INSTALL NEW 12" CAST IRON STORM WATER AS INDICATED ON PLAN. SLOPE NEW STORM WATER BELOW GRADE AT SAME PITCH AS EXISTING BEING REMOVED.
- EXIST 1 1/4" HOT WATER RISER TO REMAIN. REPIPE AS INDICATED ON PLAN.
- REMOVE EXISTING 4" SANITARY DN THRU EXISTING FLOOR & CAP BELOW FLOOR. REROUTE EXISTING 4" SANITARY AT CEILING AS INDICATED ON PLAN & CONNECT TO EXIST SANITARY BELOW FLOOR.
- CAP 2" CW & 3/4" HW ABOVE CEILING FOR FUTURE EXTENSION.
- EXISTING UTILITY SINK & EXIST FAUCET TO REMAIN. REMOVE EXISTING HOT & COLD WATER PIPING BACK TO EXIST MAIN & CAP & REMOVE EXIST WASTE TO EXIST FLOOR DRAIN. PROVIDE NEW 1 1/2" TRAP & 1 1/2" SAN CONNECTION & NEW 1/2" H & CW AS INDICATED ON PLAN.
- EXTEND NEW 2" VENT FROM NEW TOILET ROOM AREA TO EXISTING VENT SYSTEM OF APPROPRIATE SIZE.

**REVISIONS:**

NO.	DESCRIPTION	DATE

LAST REV: PROJECT NO.: 98-033

DATE: NOV. 18, 1998

SCALE: AS NOTED

TITLE:  
**PERFORMING ARTS ADDITION  
AND BOILER  
ROOM  
PLUMBING**

SHEET:

**M**

PA-10

**PLUMBING FIXTURE ROUGH-IN SCHEDULE**

NO.	FIXTURE	C.W.	H.W.	W.	V.	REMARKS
P-1	WATER CLOSET	1/2"	-	4"	-	FLOOR MOUNTED, FLUSH TANK
P-2	LAVATORY	1/2"	1/2"	1 1/2"	1 1/2"	WALL MOUNTED
P-3	SHOWER	1/2"	1/2"	2"	-	

**LOWER LEVEL FLOOR PLAN - PLUMBING**

SCALE: 1/4" = 1'-0"