



810 Light Street Baltimore, Md 21230

Professional Certification: I certify that these documents were prepared or approved by me, and that I am a duly licensed architect under the laws of the State of Maryland.  
License No: 9473 Expiration Date: 4/7/2015

NO	DATE	PERMIT SET DESCRIPTION
1	06-17-13	PERMIT SET


REVISIONS	

**NOTRE DAME PREP CONVENT RENOVATION**


**SECOND & THIRD FLOOR PLANS**

PROJ. NO.: 13007-00	DWG NO:
DRAWN BY: AR	<b>A-102</b>
DATE: 06-13-13	

PARTITION SCHEDULE			
	FIRE RATING - UL#	STC RATING	HEIGHT
1	---	---	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
2	---	---	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
2A	---	---	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
3	1HR - U906	---	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
3A	1HR - U906	---	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
4	1HR - U419	50 STC	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
5	1HR - U419	50 STC	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
5A	50 STC	---	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.
6	1HR - U419	50 STC	TO UNDERSIDE OF DECK/STRUCTURE ABOVE.



**2C THIRD FLOOR PLAN**  
1/8" = 1'-0"



**2B SECOND FLOOR PLAN**  
1/8" = 1'-0"

- PARTITION NOTES**
- ALL GYP BD IN LAUNDRY ROOM, TOILETS & BATHROOMS SHALL BE MOISTURE / MOLD RESISTANT.
  - ALL FIRE RATED SOUND BATT INSULATION SHALL BE THERMAFIBER OR ROXUL ROCK WOOL.
  - CORRIDOR WALLS @ TYPE 3, TYP
  - EXTERIOR WALLS ARE TYPE 1, TYP
  - DEMISING WALLS BETWEEN BEDROOMS ARE TYPE 4, TYP
  - WET WALLS AT TOILETS ARE TYPE 5 OR 6A (SEE PLAN)

**FLOOR PLAN KEYNOTES**

NO	DESCRIPTION
1	CONTRACTOR TO INSTALL (2) ADDITIONAL HORIZONTAL RAILS @ STAIR GUARD ( TO PROVIDE 4 EQ. SPACES) RAIL DESIGN TO MATCH EXISTING
2	PAINT EXISTING ROOF LADDER
3	EXTEND GUARD RAIL TO 36" HT
4	ADJUSTABLE P LAM SHELVING ON HD BRACKETS
5	EXISTING TRASH CHUTE TO REMAIN
6	GAS FIREPLACE WITH MANTEL (ADD ALTERNATE)
7	EXISTING RAIN LEADER TO REMAIN
8	PAINT EXISTING DOOR
9	PAINT EXISTING DOOR, PROVIDE NEW HARDWARE HW-5

- GENERAL NOTES**
- CLOSETS SHALL BE 2'-0" DEEP UNLESS DIMENSIONED OTHERWISE.
  - PROVIDE PT BLOCKING FOR ALL WALL MOUNTED SHELVES, CABINETS ETC.
  - ALL HAZMAT MATERIAL WILL BE REMOVED BY OTHERS OUTSIDE THIS CONTRACT. CONTRACTOR TO NOTIFY THE ARCHITECT IF ANY HAZMAT MATERIAL ARE FOUND.
  - EXISTING ELEVATOR CAB TO BE REFURBISHED AS PART OF THIS CONTRACT. ELEVATOR & SHAFT SHALL BE UPGRADED TO MEET ALL APPLICABLE CODES.
  - BEDROOM CLOSETS & COAT CLOSETS SHALL RECEIVE COAT ROD & SHELF.
  - ALL SHOWER UNITS IN BATHROOMS SHALL RECEIVE GRAB BARS & CURTAIN RODS REFER 1C/ A-402

