



EQUIPMENT SCHEDULE		
AHU-1	TYPE	ROOFTOP PACKAGE VAV
	MAKE	McQUAY, AFS-040B/208 VOLT 3P
	AIR ENTERING	80°F db / 67°F wb
	AMBIENT	125°F (ALLOWING FOR ROOF CONDITIONS)
	SENSIBLE/TOTAL COOLING CAPACITY	535 MBH / 705 MBH
	WARM-UP HEAT CAP	448KW (MODEL 60) 208 VOLT 3P
	AIR QUANTITY	22,000 CFM
	COOLING COIL	4 ROW REFRIGERANT
	SUPPLY AIR FAN	30" AIRFOIL FAN W/INLET VALVES 1800 RPM, 3.75" wg, 1.25 HP MOTOR
	RETURN AIR FAN	27" AIRFOIL FAN W/INLET VALVES 1800 RPM, 0.6" wg, 1.5 HP MOTOR
AHU-2	TYPE	AIR COOLED SPLIT SYSTEM
FAN COIL UNIT	MAKE	CARRIER 40 AQ 030 / 208 VOLT 1P
	AIR QUANTITY	1000 CFM / 1.5" wg
	SENSIBLE COOLING CAPACITY	24 MBH
	TOTAL COOLING CAP	30 MBH
	AIR ENTERING	65°F wb
CONDENSING UNIT	MAKE	CARRIER 38 GS 030 / 208 VOLT 1P
	CAPACITY	30.6 MBH
	AMBIENT	95°F
	BAT. COND. TEMP	125°F
	BAT. SUCT. TEMP	40°F
AHU-3	TYPE	FAN BOX 208 VOLT 1P
	MAKE	CARRIER 40 FS 160
	FAN	1000 CFM / LOW SPEED / 65 VVg
	HEATER	ELECTRIC HEATER CAP 10KW 208 VOLT 3P