

**APPROVED**

ELEC.  
MECH.  
CONS.  
FINAL

*SX*


SEP 14 1990

NO	DATE	REVISION
04200.A		MASONRY INFILL IN EXISTING OPENING. USE SALVAGED OR REPAIRED MATCHING BRICK.
04500.A		CLEAN EXISTING LIMESTONE PANELS. REPOINT, RECAULK JOINTS. CLEAN EXISTING TERRA COTTA MASONRY UNITS. REPOINT. CLEAN & REPAIR MASONRY COPING FOR WEATHERTIGHT SEAL. RECAULK.
05000.A		CLEAN & PAINT EXISTING STEEL SUPPORT STRUCTURE TO REMAIN.
05500.A		REPAIR & REPAINT EXISTING RETRACTABLE METAL STAIR. 1 1/2" GALVANIZED METAL PIPE RAIL PAINTED. CONCRETE FILLED METAL PAN STAIR. PAINTED METAL PIPE RAIL. METAL WORK FROM 17" TO 18" ABOVE PAR.
06100.A		2X PRESSURE TREATED WOOD BLOCKING. 1/2" CDX PLYWOOD.
07511.A		BUILT-UP ASPHALT ROOFING. REMOVE EXIST ROOFING. EXISTING GYPSUM PLANK DECK. CONC. ROOF PAVERS. PROVIDE GUTTER, FLASHING, COUNTER-FLASHING, & SEALANT AT ROOFING/VERTICAL WALL SURFACE CONNECTION.
07600.A		METAL GRAVEL STOP. MATCH EXISTING. CONT. METAL CLEAT. PREFORMED METAL FLASHING.
07900.A		CONT SEALANT.
08110.A		HOLLOW METAL DOOR. PAINTED.
08410.A		WIDE STYLE ALUMINUM ENTRANCE DOORS, & SIDE LIGHTS - FINISH & COLOR TO MATCH ALUMINUM WINDOWS. ALUMINUM TRANSOM ABOVE ENTRANCE. FINISH TO MATCH ALUMINUM ENTRANCE. ALUMINUM JAMB EXTENSION - FINISH TO MATCH WINDOW SYSTEM.
09250.A		PATCH & REPAIR EXISTING PLASTER MARQUEE. 6" RADIUS LIGHT COVE - FIT/CON TO LEFT OR EQUAL. PROVIDE PREMANUFACTURED CORNERS. ALL EXPOSED ENDS TO BE 90 DEGREE MITERED RETURN. GYPSUM BOARD. 3/8" METAL STUDS. 5/8" TYPE 'X' GYPSUM BOARD. C - H STUD. 1" SHAFTE WALL LINER PANEL. 7/8" FURRING CHANNELS. 2 1/2" METAL STUDS.

RECEIVED  
DEPT. OF HOUSING  
AND COMMUNITY DEVELOPMENT

AUG 23 1990

No.



**BASEMENT LEVEL**

**FLOOR PLANS**

SHEET

**OFFICES FOR THE BALTIMORE REGIONAL COUNCIL OF GOVERNMENTS**

**GREYHOUND STATION PROJECT**

**GOULD ARCHITECTS P.A.**

518 N. Charles Street Baltimore, Maryland 21201  
301-244-0070

8-20-90 DATE

1/8" = 10' SCALE

DRAWN

BINDING ORDER

**A3.1**