


NO	DATE	REVISION
04200.A		MASONRY INFILL IN EXISTING OPENING. USE SALVAGED OR REBATED MATCHING BRICK.
		B. EXISTING MASONRY WALL.
04500.A		CLEAN EXISTING LIMESTONE PANELS. REPOINT, RECAULK JOINTS.
		B. CLEAN EXISTING TERRA COTTA MASONRY UNITS. REPOINT.
		C. CLEAN & REPAIR MASONRY COPING FOR WEATHERTIGHT SEAL. RECAULK.
05000.A		CLEAN & PAINT EXISTING STEEL SUPPORT STRUCTURE TO REMAIN.
05500.A		REPAIR & REPAINT EXISTING RETRACTABLE METAL STAIR.
		B. 1 1/2" GALVANIZED METAL PIPE RAIL PAINTED.
		C. CONCRETE FILLED METAL PAN STAIR.
		D. PAINTED METAL PIPE RAIL.
06100.A		2X PRESSURE TREATED WOOD BLOCKING.
		B. 1/2" CDX PLYWOOD.
07511.A		BUILD-UP ASPHALT ROOFING. REMOVE EXIST ROOFING.
		B. EXISTING GYPSUM PLANK DECK.
		C. CONC. ROOF PAVERS.
		D. PROVIDE CANT, FLASHING, COUNTER-FLASHING, & SEALANT AT ROOFING/VERTICAL WALL SURFACE CONNECTION.
07600.A		METAL GRAVEL STOP. MATCH EXISTING.
		B. CONT. METAL CLEAT.
		C. PREFORMED METAL FLASHING.
07900.A		CONT SEALANT.
08110.A		HOLLOW METAL DOOR. PAINTED.
08410.A		WIDE STYLE ALUMINUM ENTRANCE DOORS, & SIDE LIGHTS - FINISH & COLOR TO MATCH ALUMINUM WINDOWS.
		B. ALUMINUM TRANSOM ABOVE ENTRANCE. FINISH TO MATCH ALUMINUM ENTRANCE.
		C. ALUMINUM JAMB EXTENSION - FINISH TO MATCH WINDOW SYSTEM.
09250.A		PATCH & REPAIR EXISTING PLASTER MARQUEE.
		B. 6" RADIUS LIGHT COVE - FITTING SO - LEFT OR EQUAL. PROVIDE PREFABRICATED CORNERS. ALL EXPOSED ENDS TO BE 90 DEGREE MITERED RETURN.
		C. GYPSUM BOARD.
		D. 3 5/8" METAL STUDS.
		E. 5/8" TYPE 'X' GYPSUM BOARD.
		F. C- H STUD.
		G. 1" SHAPED WALL LINER PANEL.
		H. 7/8" FURRING CHANNELS.
		J. 2 1/2" METAL STUDS.



TOILET PLANS SHEET

OFFICES FOR THE BALTIMORE REGIONAL COUNCIL OF GOVERNMENTS

GREYHOUND STATION PROJECT

GOULD ARCHITECTS, P.A.  
515 N. Charles Street Baltimore, Maryland 21201  
301-244-0070

8-20-90	DATE
	SCALE
	DRAWN
	BINDING ORDER

A7.1

APPROVED  
DIRECTOR - CONSTRUCTION  
& BUILDINGS DEPARTMENT  
ELEC. MECH. CONST. FINAL ISSUED  
S.K. Walpole  
SEP 14 1990