



INITIAL SEQUENCE OF CONSTRUCTION

- OBTAIN PROPER PERMIT.
- SUBMIT A WRITTEN NOTIFICATION TO: THE DEPARTMENT OF PUBLIC WORKS, OFFICE OF COMPLIANCE AND LABORATORIES: 3001 DRUID PARK DRIVE, ROOM 228, BALTIMORE, MD 21215, PHONE NUMBER, 410-396-0732, FAX 410-523-9047, DPW.ESCINSPECTIONS@BALTIMORECITY.GOV, AT LEAST 72 HOURS PRIOR TO START OF CONSTRUCTION STATING:
 - A REQUEST FOR A PRECONSTRUCTION MEETING,
 - WHEN CONTRACTOR INTENDS TO BEGIN CONSTRUCTION,
 - WHEN CONTRACTOR INTENDS TO INSTALL STORMWATER MANAGEMENT FACILITIES,
 - SOURCE OF BORROW MATERIAL,
 - LOCATION OF DISPOSAL AREA OF SITE MATERIAL,
 - CONTRACTOR'S TENTATIVE CLOSING DATE.
- NOTIFY MISS UTILITY AT LEAST 5 DAYS PRIOR TO DOING ANY CONSTRUCTION AT 888-257-7777 TO LOCATE ALL EXISTING UTILITIES.
- WITH WRITTEN PERMISSION OF THE SEDIMENT CONTROL INSPECTOR, INSTALL HEAVY DUTY STABILIZED CONSTRUCTION ENTRANCE(S) WITH MOUNTABLE BERM AND CLEAN OUT RACK.
- INSTALL PERIMETER SILT FENCE, SUPPER SILT FENCE, AT GRADE INLET PROTECTION, AND CURB INLET PROTECTION PER PLAN.
- WITH THE PERMISSION OF THE SEDIMENT CONTROL INSPECTOR, BEGIN REMOVAL OF EXISTING BUILDING, ROUGH GRADE THE SITE AND TEMPORARILY STABILIZE SITE.



SEDIMENT CONTROL PLAN LEGEND



STABILIZATION SCHEDULE

AREA	SQUARE FOOTAGE	STABILIZATION TYPE	SEQUENCE #
(A)	22,651 SQ. FT.	TEMP. STONE BASE	6
SEDIMENT CONTROL		TEMPORARY SEED AND MULCH	6

NOTE:
AREA TO BE VEGETATIVELY STABILIZED TO SATISFY THE 377 DAY REQUIREMENT AS PER THE BALTIMORE CITY STANDARD EROSION AND SEDIMENT CONTROL NOTES.

SEE SHEETS C1.0 AND C2.0 FOR SITE UTILITY LEGENDS

ESC CERTIFICATIONS

OWNER'S CERTIFICATION

I/WE DO HEREBY CERTIFY THAT ANY CLEARING, GRADING, CONSTRUCTION, AND/OR DEVELOPMENT WILL BE DONE PURSUANT TO THIS APPROVED PLAN AND ALL RESPONSIBLE PERSONNEL INVOLVED IN THE CONSTRUCTION PROJECT WILL HAVE CERTIFICATION OF ATTENDANCE AT AN APPROVED MARYLAND DEPARTMENT OF THE ENVIRONMENTAL SEDIMENT AND EROSION CONTROL TRAINING PROGRAM PRIOR TO THE BEGINNING OF WORK. THE CITY'S DPW AND DHCD AND MDE WILL BE ALLOWED RIGHT OF ENTRY FOR PERIODIC ON-SITE EVALUATION

Samir Khabra
 PRINT NAME: Samir Khabra SIGNATURE: [Signature] DATE: 10/4/16
 ADDRESS: 210 E. LEXINGTON ST. BALTIMORE, MD, 21202 TELEPHONE NUMBER: 571-436-1569

ENGINEERS CERTIFICATION

I DO HEREBY CERTIFY THAT THIS PLAN FOR EROSION SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED UPON PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED ON ACCORDANCE WITH THE REQUIREMENTS OF THE BALTIMORE CITY OFFICE OF COMPLIANCE AND LABORATORIES

Maria Azevedo
 PRINT NAME: Maria Azevedo SIGNATURE: [Signature] DATE: 10/4/16
 ADDRESS: 1705 CHESTER MILL RD SILVER SPRING, MD, 20906 TELEPHONE NUMBER: 240-271-9759

STOCKPILE NOTE:

- CONTRACTOR STAGING AREA IS WITHIN THE LIMIT OF DISTURBANCE
- ANY EXCAVATED MATERIAL SHALL BE IMMEDIATELY HAULED OFFSITE.
- STOCKPILE AREA SHALL NOT BE LOCATED IN AN AREA DESIGNATED FOR MICRO-BIORETENTION.

MAINTENANCE OF SEDIMENT CONTROL:

CONTRACTOR SHALL, WITHOUT EXTRA COST TO THE PROJECT, REPAIR AND MAINTAIN EXISTING SEDIMENT CONTROL DEVICES UNTIL ALL AREAS WITHIN LIMITS OF CONSTRUCTION ARE STABILIZED. ALL SEDIMENT CONTROL MEASURES REFERRED TO ON THESE PLANS SHALL BE IN ACCORDANCE WITH THE PUBLICATION ENTITLED "1994 MARYLAND STANDARDS AND SPECIFICATION FOR EROSION AND SEDIMENT CONTROL".

SITE INFORMATION

TOTAL AREA OF SITE:	0.51 AC
AREA DISTURBED:	0.54 AC
IMPERVIOUS AREA:	0.50 AC
TOTAL CUT:	671 CY
TOTAL FILL:	340 CY

NOTE:
THE ABOVE QUANTITIES ARE FOR PERMITTING PURPOSES ONLY. CONTRACTOR SHALL CALCULATE HIS OWN QUANTITIES FOR BIDDING PURPOSE.

APPLICANT
HERENA USA LLC
210 E. LEXINGTON STREET
BALTIMORE, MARYLAND, 21202
TEL. 571-436-1569

ESD # 7121

Professional Certification: I hereby certify that these documents were prepared or approved by me, and that I am a duly licensed professional engineer under the laws of the State of Maryland.
License No. 21718, Expiration Date: 2017-09-16

Architect
Architects & Design Consultants
 (434)260-1292
 femelisso.fladco@gmail.com
 Civil / Structural
M.A Design Group LLC
Consulting Engineers
 1705 Chester Mill Road
 Silver Spring, MD 20906

MEP
SiTa Engineering
 1334 9th Street,
 NW Suite 206
 Washington DC, 20001

Owner / Client
Herena USA, LLC
 210 E. Lexington Street
 Baltimore, Maryland 21202

Herena USA
 E. Lombard Street
 1622-1634 Lombard Street
 922 S. Bethel Street
 Baltimore, MD 21212

REV	DESCRIPTION	DATE
4	SWM-ES	05/20/2017
3	SWM-ES	09/29/2016
2	SWM-ES	08/15/2016
1	BID-SET	02/5/2016

REVISION HISTORY

Date: 02/5/2016
 Project # 1501.01
INITIAL EROSION AND SEDIMENT CONTROL PLAN

C-3.00